

# Safety data sheet

Page: 1/11

BASF 3D Printing Safety data sheet according to UN GHS 4th rev.

Date / Revised: 22.12.2022

Version: 2.1

Product: **Ultrafuse® ASA Black**

(ID no. 11146758/SDS\_GEN\_00/EN)

Date of print 02.02.2024

## 1. Identification

### Product identifier

## Ultrafuse® ASA Black

| Recommended use: 3D Printing

### Details of the supplier of the safety data sheet

#### Company:

BASF 3D Printing Solutions B.V.  
Eerste Bokslootweg 17  
7821 AT Emmen, Netherlands

Telephone: + 31 591 820 389

E-mail address: sales@basf-3dps.com

### Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

## 2. Hazards Identification

### Classification of the substance or mixture

#### According to UN GHS criteria

No need for classification according to GHS criteria for this product.

### Label elements

#### Globally Harmonized System (GHS)

The product does not require a hazard warning label in accordance with GHS criteria.

---

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 22.12.2022

Version: 2.1

Product: **Ultrafuse® ASA Black**

(ID no. 11146758/SDS\_GEN\_00/EN)

Date of print 02.02.2024

---

## Other hazards

According to UN GHS criteria

The product may cause burns, if handled in the melted state.

---

## 3. Composition/Information on Ingredients

### Substances

Not applicable

### Mixtures

Chemical nature

Preparation based on: Polymer, additives

Hazardous ingredients (GHS)

According to UN GHS criteria

2-(2H-Benzotriazol-2-yl)-p-cresol

Content (W/W): < 0,5 %

CAS Number: 2440-22-4

EC-Number: 219-470-5

Skin Sens. 1B

Aquatic Chronic 1

M-factor chronic: 1

H317, H410

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate

Content (W/W): < 0,5 %

CAS Number: 52829-07-9

EC-Number: 258-207-9

Acute Tox. 5 (oral)

Eye Dam./Irrit. 1

Aquatic Acute 1

Aquatic Chronic 2

Repr. 2 (fertility)

M-factor acute: 1

H318, H303, H361, H411, H400

For the classifications not written out in full in this section the full text can be found in section 16.

---

## 4. First-Aid Measures

### Description of first aid measures

Remove contaminated clothing.

If inhaled:

Remove the affected individual into fresh air and keep the person calm. If symptoms persist, seek medical advice.

On skin contact:

---

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 22.12.2022

Version: 2.1

Product: **Ultrafuse® ASA Black**

(ID no. 11146758/SDS\_GEN\_00/EN)

Date of print 02.02.2024

Wash thoroughly with soap and water. If irritation develops, seek medical attention. Burns caused by molten material require hospital treatment.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open. If irritation develops, seek medical attention.

On ingestion:

Rinse mouth immediately with water. Immediate medical attention required.

**Most important symptoms and effects, both acute and delayed**

Symptoms: (Further) symptoms and / or effects are not known so far

Hazards: No hazard is expected under intended use and appropriate handling.

**Indication of any immediate medical attention and special treatment needed**

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

**5. Fire-Fighting Measures****Extinguishing media**

Suitable extinguishing media:

water spray, foam, dry powder, carbon dioxide

**Special hazards arising from the substance or mixture**

carbon oxides

The substances/groups of substances mentioned can be released in case of fire.

**Advice for fire-fighters**

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Dust can form an explosive mixture with air. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

**6. Accidental Release Measures**

Avoid dispersal of dust in the air (e.g. by clearing dusty surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

**Personal precautions, protective equipment and emergency procedures**

No special precautions necessary.

**Environmental precautions**

Discharge into the environment must be avoided.

**Methods and material for containment and cleaning up**

---

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 22.12.2022

Version: 2.1

Product: **Ultrafuse® ASA Black**

(ID no. 11146758/SDS\_GEN\_00/EN)

Date of print 02.02.2024

For small amounts: Sweep/shovel up.

For large amounts: Sweep/shovel up.

Dispose of absorbed material in accordance with regulations. Avoid raising dust.

---

## 7. Handling and Storage

### Precautions for safe handling

Avoid inhalation of dusts/mists/vapours. Ensure adequate ventilation. Provide suitable exhaust ventilation at the drying process and in the area surrounding the melt outlet of processing machines. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Avoid the formation and deposition of dust.

Protection against fire and explosion:

The product is not an oxidizer, not self-combustible and not explosive. Avoid dust formation. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

### Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Avoid deposition of dust. Avoid extreme heat.

Storage stability:

Protect against moisture.

### Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

---

## 8. Exposure Controls/Personal Protection

### Control parameters

#### Components with occupational exposure limits

The substances mentioned are contained only in traces in the product. The release and quantity of the stated substance is dependent on the processing conditions.

100-41-4: Ethylbenzene

100-42-5: Styrene

107-13-1: Acrylonitrile

141-32-2: Butyl acrylate

8002-74-2: Paraffin waxes and Hydrocarbon waxes

### Exposure controls

#### Personal protective equipment

Respiratory protection:

Breathing protection if breathable aerosols/dust are formed. Wear respiratory protection if ventilation is inadequate. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 22.12.2022

Version: 2.1

Product: **Ultrafuse® ASA Black**

(ID no. 11146758/SDS\_GEN\_00/EN)

Date of print 02.02.2024

Use additional heat protection gloves when handling hot molten masses (EN 407), e.g. of textile or leather.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

#### General safety and hygiene measures

Wear protective clothing to prevent contact during mechanical processing and/or hot melt conditions. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. When using, do not eat, drink or smoke.

## 9. Physical and Chemical Properties

### Information on basic physical and chemical properties

Form:	filament
Colour:	black
Odour:	odourless
Odour threshold:	not applicable, odour not perceivable
pH value:	not applicable, substance/mixture is non-soluble (in water)
Melting point:	> 150 °C
Boiling point:	not applicable
Flash point:	not applicable, the product is a solid
Evaporation rate:	The product is a non-volatile solid.
Flammability:	Not a flammable solid according to UN transport regulations division 4.1 and GHS chapter 2.7.
Lower explosion limit:	For solids not relevant for classification and labelling.
Upper explosion limit:	For solids not relevant for classification and labelling.
Ignition temperature:	not applicable
Vapour pressure:	not determined
Density:	1,07 g/cm <sup>3</sup> (20 °C)
Relative density:	1,07 (20 °C)
Relative vapour density (air):	The product is a non-volatile solid.

---

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 22.12.2022

Version: 2.1

Product: **Ultrafuse® ASA Black**

(ID no. 11146758/SDS\_GEN\_00/EN)

Date of print 02.02.2024

Solubility in water: insoluble  
Partitioning coefficient n-octanol/water (log Kow):  
not applicable for mixtures  
Self ignition: not self-igniting  
Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.  
Prolonged thermal loading can result in products of degradation being given off.  
Explosion hazard: not explosive  
Fire promoting properties: not fire-propagating

**Other information**

Self heating ability: It is not a substance capable of spontaneous heating.

---

**10. Stability and Reactivity****Reactivity**

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

**Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

**Possibility of hazardous reactions**

No hazardous reactions when stored and handled according to instructions.

**Conditions to avoid**

Temperature: > 300 °C

Prolonged exposure to elevated temperatures may result in exothermic decomposition accompanied by a pressure build-up in sealed containers. Avoid all sources of ignition: heat, sparks, open flame.

**Incompatible materials**

Substances to avoid:  
oxidizing agents

**Hazardous decomposition products**

Hazardous decomposition products:

Prolonged thermal loading can result in products of degradation being given off., monomers, gases/vapours, oxides, hydrocarbons, cyclic low molecular weight oligomers

---

**11. Toxicological Information****Information on toxicological effects**

Acute toxicity

---

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 22.12.2022

Version: 2.1

Product: **Ultrafuse® ASA Black**

(ID no. 11146758/SDS\_GEN\_00/EN)

Date of print 02.02.2024

---

**Assessment of acute toxicity:**

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. Contact with molten product may cause thermal burns.

**Experimental/calculated data:**

(oral):No applicable information available.

(by inhalation):The inhalation of dusts represents a potential acute hazard.

(dermal):No applicable information available.

**Irritation****Assessment of irritating effects:**

Not irritating to eyes and skin. May cause mechanical irritation.

**Respiratory/Skin sensitization****Assessment of sensitization:**

Based on available data, the classification criteria are not met.

**Germ cell mutagenicity****Assessment of mutagenicity:**

Based on available data, the classification criteria are not met.

**Carcinogenicity****Assessment of carcinogenicity:**

Based on available data, the classification criteria are not met.

**Reproductive toxicity****Assessment of reproduction toxicity:**

Based on available data, the classification criteria are not met.

**Developmental toxicity****Assessment of teratogenicity:**

Based on available data, the classification criteria are not met.

**Specific target organ toxicity (single exposure)****Assessment of STOT single:**

Based on available data, the classification criteria are not met.

**Repeated dose toxicity and Specific target organ toxicity (repeated exposure)****Assessment of repeated dose toxicity:**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

---

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 22.12.2022

Version: 2.1

Product: **Ultrafuse® ASA Black**

(ID no. 11146758/SDS\_GEN\_00/EN)

Date of print 02.02.2024

| not applicable

#### Other relevant toxicity information

The product has been assessed on the basis of the components' available data. To some extent data gaps exist for individual components. According to our present knowledge and experience dangers which are not covered by the current labeling are not to be expected.

---

## 12. Ecological Information

### **Toxicity**

Assessment of aquatic toxicity:

| Based on available data, the classification criteria are not met. At the present state of knowledge, no negative ecological effects are expected.

### **Persistence and degradability**

Assessment biodegradation and elimination (H<sub>2</sub>O):

No data available concerning biodegradation and elimination.

### **Bioaccumulative potential**

Assessment bioaccumulation potential:

The product has not been tested.

### **Mobility in soil**

Assessment transport between environmental compartments:

Adsorption in soil: Adsorption to solid soil phase is expected.

### **Results of PBT and vPvB assessment**

| According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria.

### **Other adverse effects**

The product does not contain substances that are listed in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer.

### **Additional information**

Add. remarks environm. fate & pathway:

Due to the consistency of the product, dispersion into the environment is impossible. Therefore no negative effects on the environment may be anticipated based on the present state of knowledge.

Other ecotoxicological advice:

The product has been assessed on the basis of the components' available data. To some extent data gaps exist for individual components. According to our present knowledge and experience dangers which are not covered by the current labeling are not to be expected.

---



## 13. Disposal Considerations

### Waste treatment methods

Dispose of in accordance with national, state and local regulations.  
Contact specialized companies about recycling.

Contaminated packaging:

Dispose of in accordance with national, state and local regulations.

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

---

## 14. Transport Information

### Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable  
UN proper shipping name: Not applicable  
Transport hazard class(es): Not applicable  
Packing group: Not applicable  
Environmental hazards: Not applicable  
Special precautions for user: None known

RID

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable  
UN proper shipping name: Not applicable  
Transport hazard class(es): Not applicable  
Packing group: Not applicable  
Environmental hazards: Not applicable  
Special precautions for user: None known

### Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable  
UN proper shipping name: Not applicable  
Transport hazard class(es): Not applicable  
Packing group: Not applicable  
Environmental hazards: Not applicable  
Special precautions for user: None known

---

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 22.12.2022

Version: 2.1

Product: **Ultrafuse® ASA Black**

(ID no. 11146758/SDS\_GEN\_00/EN)

Date of print 02.02.2024

---

Transport in inland waterway vessel

Not evaluated

**Sea transport****IMDG**

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

**Air transport****IATA/ICAO**

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

**Maritime transport in bulk according to IMO instruments**

Maritime transport in bulk is not intended.

---

**15. Regulatory Information****Safety, health and environmental regulations/legislation specific for the substance or mixture**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

---

**16. Other Information**

Any other intended applications should be discussed with the manufacturer.

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Skin Sens.	Skin sensitization
------------	--------------------

Aquatic Chronic	Hazardous to the aquatic environment - chronic
-----------------	--

Acute Tox.	Acute toxicity
------------	----------------

---

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 22.12.2022

Version: 2.1

Product: **Ultrafuse® ASA Black**

(ID no. 11146758/SDS\_GEN\_00/EN)

Date of print 02.02.2024

Eye Dam./Irrit.	Serious eye damage/eye irritation
Aquatic Acute	Hazardous to the aquatic environment - acute
Repr.	Reproductive toxicity
H317	May cause an allergic skin reaction.
H410	Very toxic to aquatic life with long lasting effects.
H318	Causes serious eye damage.
H303	May be harmful if swallowed.
H361	Suspected of damaging fertility.
H411	Toxic to aquatic life with long lasting effects.
H400	Very toxic to aquatic life.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

---

Vertical lines in the left hand margin indicate an amendment from the previous version.