

Safety data sheet

Page: 1/13

BASF 3D Printing Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 06.01.2020

Version: 1.0

Date previous version: not applicable

Previous version: none

Product: **Ultrafuse® TPU 64D pink**

(ID no. 11124425/SDS_GEN_EU/EN)

Date of print 10.01.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Ultrafuse® TPU 64D pink

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: 3D Printing, for industrial use only

1.3. Details of the supplier of the safety data sheet

Company:

BASF 3D Printing Solutions B.V.
Eerste Bokslottweg 17
7821 AT Emmen, Netherlands

Contact address:

BASF SE
67056 Ludwigshafen
GERMANY

Telephone: +49 621 60-0

E-mail address: global.info@basf.com

1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

BASF 3D Printing Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 06.01.2020

Version: 1.0

Date previous version: not applicable

Previous version: none

Product: **Ultrafuse® TPU 64D pink**

(ID no. 11124425/SDS_GEN_EU/EN)

Date of print 10.01.2023

According to Regulation (EC) No 1272/2008 [CLP]

No need for classification according to GHS criteria for this product.

2.2. Label elements

Globally Harmonized System, EU (GHS)

The product does not require a hazard warning label in accordance with GHS criteria.

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

No specific dangers known, if the regulations/notes for storage and handling are considered.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

Polymer based on: polyurethane, stabilizing agents, additives

Hazardous ingredients (GHS)

according to Regulation (EC) No. 1272/2008

No particular hazards known.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

Remove the affected individual into fresh air and keep the person calm. Assist in breathing if necessary. If symptoms persist, seek medical advice.

On skin contact:

BASF 3D Printing Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 06.01.2020

Version: 1.0

Date previous version: not applicable

Previous version: none

Product: **Ultrafuse® TPU 64D pink**

(ID no. 11124425/SDS_GEN_EU/EN)

Date of print 10.01.2023

Wash thoroughly with soap and water. Burns caused by molten material require hospital treatment. If irritation develops, seek medical attention.

On contact with eyes:

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. If irritation develops, seek medical attention.

On ingestion:

Keep patient calm, remove to fresh air. Immediate medical attention required.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

Hazards: No hazard is expected under intended use and appropriate handling.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:
water spray, foam, dry powder

5.2. Special hazards arising from the substance or mixture

carbon oxides

The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

No special precautions necessary.

6.2. Environmental precautions

Discharge into the environment must be avoided.

BASF 3D Printing Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 06.01.2020

Version: 1.0

Date previous version: not applicable

Previous version: none

Product: **Ultrafuse® TPU 64D pink**

(ID no. 11124425/SDS_GEN_EU/EN)

Date of print 10.01.2023

6.3. Methods and material for containment and cleaning up

For small amounts: Sweep/shovel up.

For large amounts: Sweep/shovel up. Vacuum up spilled product.

Reclaim for processing if possible. Ensure adequate ventilation.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Avoid inhalation of dusts/mists/vapours. Ensure adequate ventilation. Provide suitable exhaust ventilation at the drying process and in the area surrounding the melt outlet of processing machines. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

Protection against fire and explosion:

The product is not an oxidizer, not self-combustible and not explosive.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE), Paper/Fibreboard

Further information on storage conditions: Avoid extreme heat. Protect against moisture.

Storage stability:

Protect against moisture.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Breathing protection if breathable aerosols/dust are formed. Wear respiratory protection if ventilation is inadequate. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:

Use additional heat protection gloves when handling hot molten masses (EN 407), e.g. of textile or leather.

BASF 3D Printing Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 06.01.2020

Version: 1.0

Date previous version: not applicable

Previous version: none

Product: **Ultrafuse® TPU 64D pink**

(ID no. 11124425/SDS_GEN_EU/EN)

Date of print 10.01.2023

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Wear protective clothing to prevent contact during mechanical processing and/or hot melt conditions. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form:	filament
Colour:	pink
Odour:	odourless
Odour threshold:	not applicable
pH value:	6 - 8 (20 °C)
softening temperature:	> 120 °C
boiling temperature:	The product is a non-volatile solid.
Flash point:	not applicable
Evaporation rate:	The product is a non-volatile solid.
Flammability:	not flammable
Lower explosion limit:	For solids not relevant for classification and labelling.
Upper explosion limit:	For solids not relevant for classification and labelling.
Ignition temperature:	> 400 °C
Vapour pressure:	not applicable
Density:	approx. 1.1 - 1.2 g/cm ³ (20 °C)
Relative density:	approx. 1.1 - 1.2 (20 °C)
Relative vapour density (air):	not applicable

BASF 3D Printing Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 06.01.2020

Version: 1.0

Date previous version: not applicable

Previous version: none

Product: **Ultrafuse® TPU 64D pink**

(ID no. 11124425/SDS_GEN_EU/EN)

Date of print 10.01.2023

Solubility in water: insoluble

Partitioning coefficient n-octanol/water (log Kow):

not applicable

Self ignition: not self-igniting

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

> 230 °C

Thermal decomposition above the indicated temperature is possible.

Prolonged thermal loading can result in products of degradation being given off.

Viscosity, dynamic:

not applicable

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

9.2. Other information

Self heating ability: It is not a substance capable of spontaneous heating according to UN transport regulations class 4.2.

Bulk density: 500 - 700 kg/m³
(20 °C)

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

10.4. Conditions to avoid

No conditions to avoid anticipated.

10.5. Incompatible materials

Substances to avoid:
oxidizing agents

10.6. Hazardous decomposition products

BASF 3D Printing Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 06.01.2020

Version: 1.0

Date previous version: not applicable

Previous version: none

Product: **Ultrafuse® TPU 64D pink**

(ID no. 11124425/SDS_GEN_EU/EN)

Date of print 10.01.2023

Thermal decomposition products:

Prolonged thermal loading can result in products of degradation being given off.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Contact with molten product may cause thermal burns.

Experimental/calculated data:

(oral):No applicable information available.

(by inhalation):The inhalation of dusts represents a potential acute hazard.

(dermal):No applicable information available.

Irritation

Experimental/calculated data:

Skin corrosion/irritation: May cause mechanical irritation.

Serious eye damage/irritation: May cause mechanical irritation.

Respiratory/Skin sensitization

Assessment of sensitization:

The chemical structure does not suggest a sensitizing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Germ cell mutagenicity

Assessment of mutagenicity:

The chemical structure does not suggest a specific alert for such an effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Carcinogenicity

Assessment of carcinogenicity:

The chemical structure does not suggest a specific alert for such an effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

BASF 3D Printing Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 06.01.2020

Version: 1.0

Date previous version: not applicable

Previous version: none

Product: **Ultrafuse® TPU 64D pink**

(ID no. 11124425/SDS_GEN_EU/EN)

Date of print 10.01.2023

Reproductive toxicity

Assessment of reproduction toxicity:

The chemical structure does not suggest a specific alert for such an effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Developmental toxicity

Assessment of teratogenicity:

The chemical structure does not suggest a specific alert for such an effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Specific target organ toxicity (single exposure)

No data available.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Repeated exposure to the substance by dermal administration leads to effects similar to those found after single exposure. Repeated exposure to the substance by inhalative administration leads to effects similar to those found after single exposure. Repeated exposure to the substance by oral administration leads to effects similar to those found after single exposure. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statement has been derived from the properties of the individual components.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

12.2. Persistence and degradability

BASF 3D Printing Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 06.01.2020

Version: 1.0

Date previous version: not applicable

Previous version: none

Product: **Ultrafuse® TPU 64D pink**

(ID no. 11124425/SDS_GEN_EU/EN)

Date of print 10.01.2023

Assessment biodegradation and elimination (H₂O):
Poorly biodegradable.

Elimination information:
Poorly biodegradable.

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:
Does not significantly accumulate in organisms.

12.4. Mobility in soil

Assessment transport between environmental compartments:
Adsorption in soil: Due to the product characteristics the test is impossible.

12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria.

12.6. Other adverse effects

The product does not contain substances that are listed in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer.

12.7. Additional information

Adsorbable organically-bound halogen (AOX):
This product contains no organically-bound halogen.

Other ecotoxicological advice:
The ecotoxic effect of the product has not been tested. The information on this was derived from products of similar structure or composition.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Dispose of in accordance with national, state and local regulations.

Contaminated packaging:
Dispose of in accordance with national, state and local regulations.

BASF 3D Printing Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 06.01.2020

Version: 1.0

Date previous version: not applicable

Previous version: none

Product: **Ultrafuse® TPU 64D pink**

(ID no. 11124425/SDS_GEN_EU/EN)

Date of print 10.01.2023

SECTION 14: Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number: Not applicable

UN proper shipping name: Not applicable

Transport hazard class(es): Not applicable

Packing group: Not applicable

Environmental hazards: Not applicable

Special precautions for user: None known

RID

Not classified as a dangerous good under transport regulations

UN number: Not applicable

UN proper shipping name: Not applicable

Transport hazard class(es): Not applicable

Packing group: Not applicable

Environmental hazards: Not applicable

Special precautions for user: None known

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number: Not applicable

UN proper shipping name: Not applicable

Transport hazard class(es): Not applicable

Packing group: Not applicable

Environmental hazards: Not applicable

Special precautions for user: None known

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

BASF 3D Printing Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 06.01.2020

Version: 1.0

Date previous version: not applicable

Previous version: none

Product: **Ultrafuse® TPU 64D pink**

(ID no. 11124425/SDS_GEN_EU/EN)

Date of print 10.01.2023

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

14.1. UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

BASF 3D Printing Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 06.01.2020

Version: 1.0

Date previous version: not applicable

Previous version: none

Product: **Ultrafuse® TPU 64D pink**

(ID no. 11124425/SDS_GEN_EU/EN)

Date of print 10.01.2023

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

15.2. Chemical Safety Assessment

Product is not classified as hazardous.

SECTION 16: Other Information

Assessment of the hazard classes according to UN GHS criteria (most recent version)

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

BASF 3D Printing Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 06.01.2020

Version: 1.0

Date previous version: not applicable

Previous version: none

Product: **Ultrafuse® TPU 64D pink**

(ID no. 11124425/SDS_GEN_EU/EN)

Date of print 10.01.2023

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.