

Safety data sheet

BASF 3D Printing Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS) Date / Revised: 19.06.2024 Version: 1.1 Product: Ultrafuse® Pellets rPETG Black

(ID no. 1150461/SDS_GEN_00/EN) Date of print 19.06.2024

1. Identification

Product identifier

Ultrafuse[®] Pellets rPETG Black

Recommended use: 3D Printing

Details of the supplier of the safety data sheet

Company: BASF 3D Printing Solutions B.V. Eerste Bokslootweg 17 7821 AT Emmen, Netherlands

Telephone: +49 621 60-0 E-mail address: global.info@basf.com

Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

No need for classification according to GHS criteria for this product.

Contact address: BASF SE 67056 Ludwigshafen GERMANY

Page: 1/10

Page: 2/10

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS) Date / Revised: 19.06.2024 Version: 1.1 Product: Ultrafuse® Pellets rPETG Black

> (ID no. 1150461/SDS_GEN_00/EN) Date of print 19.06.2024

Label elements

Globally Harmonized System (GHS)

The product does not require a hazard warning label in accordance with GHS criteria.

Other hazards

According to UN GHS criteria

The product may cause burns, if handled in the melted state.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

Preparation based on: Polymer, additives

Hazardous ingredients (GHS) According to UN GHS criteria

No particular hazards known.

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled:

Remove the affected individual into fresh air and keep the person calm. If symptoms persist, seek medical advice.

On skin contact:

Wash thoroughly with soap and water If irritation develops, seek medical attention. Burns caused by molten material require hospital treatment.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open. If irritation develops, seek medical attention.

On ingestion:

Page: 3/10

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS) Date / Revised: 19.06.2024 Version: 1.1 Product: Ultrafuse® Pellets rPETG Black

(ID no. 1150461/SDS_GEN_00/EN)

Date of print 19.06.2024

Rinse mouth immediately with water. Immediate medical attention required.

Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

Hazards: No hazard is expected under intended use and appropriate handling.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, foam, dry powder, carbon dioxide

Special hazards arising from the substance or mixture

carbon oxides The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment: Wear a self-contained breathing apparatus.

Further information:

Dust can form an explosive mixture with air. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Avoid dispersal of dust in the air (e.g. by clearing dusty surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

Personal precautions, protective equipment and emergency procedures

No special precautions necessary.

Environmental precautions

Discharge into the environment must be avoided.

Methods and material for containment and cleaning up

For small amounts: Sweep/shovel up. For large amounts: Sweep/shovel up. Dispose of absorbed material in accordance with regulations. Avoid raising dust.

Page: 4/10

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS) Date / Revised: 19.06.2024 Version: 1.1 Product: Ultrafuse® Pellets rPETG Black

(ID no. 1150461/SDS_GEN_00/EN)

Date of print 19.06.2024

7. Handling and Storage

Precautions for safe handling

Avoid inhalation of dusts/mists/vapours. Ensure adequate ventilation. Provide suitable exhaust ventilation at the drying process and in the area surrounding the melt outlet of processing machines. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Avoid the formation and deposition of dust.

Protection against fire and explosion:

The product is not an oxidizer, not self-combustible and not explosive. Avoid dust formation. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Avoid deposition of dust. Avoid extreme heat.

Storage stability: Protect against moisture.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

1333-86-4: Carbon black 25038-59-9: Polyethyleneterephthalate (PET)

Exposure controls

Personal protective equipment

Respiratory protection:

Breathing protection if breathable aerosols/dust are formed. Wear respiratory protection if ventilation is inadequate. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection: Use additional heat protection gloves when handling hot molten masses (EN 407), e.g. of textile or leather.

Eye protection: Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Page: 5/10

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS) Date / Revised: 19.06.2024 Version: 1.1 Product: Ultrafuse® Pellets rPETG Black

(ID no. 1150461/SDS_GEN_00/EN)

Date of print 19.06.2024

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Wear protective clothing to prevent contact during mechanical processing and/or hot melt conditions. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. When using, do not eat, drink or smoke.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter:	solid
Form:	pellets
Colour:	black
Odour:	odourless
Odour threshold:	
	not applicable, odour not perceivable
softening point:	> 100 °C
Boiling point:	
Doning point.	not applicable
	not applicable
Flammability:	May form flammable dust-air mixture.
Lower explosion limit:	
	For solids not relevant for
	classification and labelling.
Upper explosion limit:	3
	For solids not relevant for
	classification and labelling.
Flash point:	
	not applicable, the product is a solid
Auto-ignition temperatur	e:
	not applicable
	not applicable
Thermal decomposition:	
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated. Prolonged thermal loading can result in products of degradation being
	No decomposition if stored and handled as prescribed/indicated.
Thermal decomposition: pH value:	No decomposition if stored and handled as prescribed/indicated. Prolonged thermal loading can result in products of degradation being given off.
	No decomposition if stored and handled as prescribed/indicated. Prolonged thermal loading can result in products of degradation being given off. not applicable, substance/mixture is
	No decomposition if stored and handled as prescribed/indicated. Prolonged thermal loading can result in products of degradation being given off.
	No decomposition if stored and handled as prescribed/indicated. Prolonged thermal loading can result in products of degradation being given off. not applicable, substance/mixture is
pH value:	No decomposition if stored and handled as prescribed/indicated. Prolonged thermal loading can result in products of degradation being given off. not applicable, substance/mixture is non-soluble (in water)
pH value: Viscosity, kinematic:	No decomposition if stored and handled as prescribed/indicated. Prolonged thermal loading can result in products of degradation being given off. not applicable, substance/mixture is non-soluble (in water) not applicable, the product is a solid
pH value: Viscosity, kinematic: Solubility in water:	No decomposition if stored and handled as prescribed/indicated. Prolonged thermal loading can result in products of degradation being given off. not applicable, substance/mixture is non-soluble (in water) not applicable, the product is a solid insoluble
pH value: Viscosity, kinematic: Solubility in water:	No decomposition if stored and handled as prescribed/indicated. Prolonged thermal loading can result in products of degradation being given off. not applicable, substance/mixture is non-soluble (in water) not applicable, the product is a solid insoluble -octanol/water (log Kow):
pH value: Viscosity, kinematic: Solubility in water: Partitioning coefficient n	No decomposition if stored and handled as prescribed/indicated. Prolonged thermal loading can result in products of degradation being given off. not applicable, substance/mixture is non-soluble (in water) not applicable, the product is a solid insoluble
pH value: Viscosity, kinematic: Solubility in water:	No decomposition if stored and handled as prescribed/indicated. Prolonged thermal loading can result in products of degradation being given off. not applicable, substance/mixture is non-soluble (in water) not applicable, the product is a solid insoluble octanol/water (log Kow): not applicable for mixtures
pH value: Viscosity, kinematic: Solubility in water: Partitioning coefficient n	No decomposition if stored and handled as prescribed/indicated. Prolonged thermal loading can result in products of degradation being given off. not applicable, substance/mixture is non-soluble (in water) not applicable, the product is a solid insoluble -octanol/water (log Kow):
pH value: Viscosity, kinematic: Solubility in water: Partitioning coefficient n	No decomposition if stored and handled as prescribed/indicated. Prolonged thermal loading can result in products of degradation being given off. not applicable, substance/mixture is non-soluble (in water) not applicable, the product is a solid insoluble octanol/water (log Kow): not applicable for mixtures
pH value: Viscosity, kinematic: Solubility in water: Partitioning coefficient no Vapour pressure: Relative density:	No decomposition if stored and handled as prescribed/indicated. Prolonged thermal loading can result in products of degradation being given off. not applicable, substance/mixture is non-soluble (in water) not applicable, the product is a solid insoluble octanol/water (log Kow): not applicable for mixtures not determined
pH value: Viscosity, kinematic: Solubility in water: Partitioning coefficient new Vapour pressure:	No decomposition if stored and handled as prescribed/indicated. Prolonged thermal loading can result in products of degradation being given off. not applicable, substance/mixture is non-soluble (in water) not applicable, the product is a solid insoluble octanol/water (log Kow): not applicable for mixtures not determined > 1
pH value: Viscosity, kinematic: Solubility in water: Partitioning coefficient no Vapour pressure: Relative density: Density:	No decomposition if stored and handled as prescribed/indicated. Prolonged thermal loading can result in products of degradation being given off. not applicable, substance/mixture is non-soluble (in water) not applicable, the product is a solid insoluble octanol/water (log Kow): not applicable for mixtures not determined > 1 not applicable
pH value: Viscosity, kinematic: Solubility in water: Partitioning coefficient no Vapour pressure: Relative density:	No decomposition if stored and handled as prescribed/indicated. Prolonged thermal loading can result in products of degradation being given off. not applicable, substance/mixture is non-soluble (in water) not applicable, the product is a solid insoluble octanol/water (log Kow): not applicable for mixtures not determined > 1 not applicable

Page: 6/10

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS) Date / Revised: 19.06.2024 Version: 1.1 Product: **Ultrafuse® Pellets rPETG Black**

(ID no. 1150461/SDS_GEN_00/EN)

Date of print 19.06.2024

9.2. Other information

Information with regard to physical hazard classes

 Explosives
 not explosive

 Explosion hazard:
 not explosive

 Oxidizing properties
 not fire-propagating

 Self-heating substances and mixtures
 spontaneous heating.

Corrosion to metals

No corrosive effect on metal.

Other safety characteristics

Evaporation rate:

The product is a non-volatile solid.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

Conditions to avoid

Temperature: > 300 °C

Prolonged exposure to elevated temperatures may result in exothermic decomposition accompanied by a pressure build-up in sealed containers. Avoid all sources of ignition: heat, sparks, open flame.

Incompatible materials

Substances to avoid: oxidizing agents

Hazardous decomposition products

Hazardous decomposition products: Prolonged thermal loading can result in products of degradation being given off., monomers, gases/vapours, oxides, hydrocarbons, cyclic low molecular weight oligomers

Page: 7/10

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS) Date / Revised: 19.06.2024 Version: 1.1 Product: Ultrafuse® Pellets rPETG Black

> (ID no. 1150461/SDS_GEN_00/EN) Date of print 19.06.2024

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. Contact with molten product may cause thermal burns.

Experimental/calculated data: (oral):No applicable information available.

(by inhalation): The inhalation of dusts represents a potential acute hazard.

(dermal):No applicable information available.

Irritation

Assessment of irritating effects: Not irritating to eyes and skin. May cause mechanical irritation.

Experimental/calculated data: Skin corrosion/irritation: May cause mechanical irritation.

Serious eye damage/irritation: May cause mechanical irritation.

Respiratory/Skin sensitization

Assessment of sensitization: Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Assessment of mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity

Assessment of carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity

Assessment of reproduction toxicity: Based on available data, the classification criteria are not met.

Developmental toxicity

Assessment of teratogenicity: Based on available data, the classification criteria are not met.

Page: 8/10

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS) Date / Revised: 19.06.2024 Version: 1.1 Product: Ultrafuse® Pellets rPETG Black

(ID no. 1150461/SDS_GEN_00/EN)

Date of print 19.06.2024

Specific target organ toxicity (single exposure)

Assessment of STOT single: Based on available data, the classification criteria are not met.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity: Based on available data, the classification criteria are not met.

Aspiration hazard

not applicable

Other relevant toxicity information

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

Based on available data, the classification criteria are not met. At the present state of knowledge, no negative ecological effects are expected.

Persistence and degradability

Assessment biodegradation and elimination (H2O): Experience shows this product to be inert and non-degradable.

Bioaccumulative potential

Assessment bioaccumulation potential: Accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments: Adsorption in soil: Study scientifically not justified.

Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria.

Page: 9/10

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS) Date / Revised: 19.06.2024 Version: 1.1 Product: Ultrafuse® Pellets rPETG Black

(ID no. 1150461/SDS_GEN_00/EN)

Date of print 19.06.2024

Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

Additional information

Add. remarks environm. fate & pathway: Due to the consistency of the product, dispersion into the environment is impossible. Therefore no negative effects on the environment may be anticipated based on the present state of knowledge.

Other ecotoxicological advice:

The ecotoxic effect of the product has not been tested. The information on this was derived from products of similar structure or composition.

13. Disposal Considerations

Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

A waste code in accordance with the European waste catalog (EWC) cannot be specified, due to dependence on the usage.

The waste code in accordance with the European waste catalog (EWC) must be specified in cooperation with disposal agency/manufacturer/authorities.

Contaminated packaging:

Packs that cannot be cleaned should be disposed of in the same manner as the contents. Uncontaminated packaging can be re-used.

14. Transport Information

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Page: 10/10

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS) Date / Revised: 19.06.2024 Version: 1.1 Product: **Ultrafuse® Pellets rPETG Black**

> (ID no. 1150461/SDS_GEN_00/EN) Date of print 19.06.2024

16. Other Information

Any other intended applications should be discussed with the manufacturer.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.