

Chemical smoothing

Material-Compatibility

Powder-Compatibility

Ultrasint® Powders	Chemical smoothing	
	AM Technologies	DyeMansion
Ultrasint® TPU01	•	•
Ultrasint® TPU88A	•	•
Ultrasint® TPU88A Black	•	•
HP 3D High Reusability PP enabled by BASF	•	•
Ultrasint® PP nat 01	•	•
Ultrasint® PA11	•	•
Ultrasint® PA11 ESD		•
Ultrasint® PA11 Black CF	•	•
Ultrasint® PA6	•	
Ultrasint® PA6 MF	•	

Filament-Compatibility

Ultrafuse® Filaments	Chemical smoothing	
	AM Technologies	DyeMansion
Ultrafuse® PLA		
Ultrafuse® PET		
Ultrafuse® ABS		
Ultrafuse® PP		
Ultrafuse® rPET		
Ultrafuse® PLA Pro1	•	
Ultrafuse® ABS Fusion+	•	
Ultrafuse® ASA	•	
Ultrafuse® PA		
Ultrafuse® PC/ABS FR	•	
Ultrafuse® BVOH		
Ultrafuse® HiPS		
Ultrafuse® TPU 85A	•	
Ultrafuse® TPC 45D		
Ultrafuse® TPU 64D		
Ultrafuse® TPU 95A		
Ultrafuse® TPS 90A		
Ultrafuse® PP GF30		
Ultrafuse® PET CF15	•	
Ultrafuse® PAHT CF15	•	
Ultrafuse® PA6 GF30		
Ultrafuse® PC GF30		
Ultrafuse® 316L		
Ultrafuse® 17-4 PHTPU 64D		
Ultrafuse® PPSU		

Contact us:



www.forward-am.com



+49 6221 67417 900



sales@basf-3dps.com



BASF 3D Printing Solutions GmbH
Speyerer Straße 4
69115 Heidelberg
Germany

 **BASF**
We create chemistry

 **FORWARD AM**
Innovating Additive Manufacturing