

Safety data sheet

Page: 1/14

BASF 3D Printing Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 21.12.2022

Version: 2.0

Date previous version: 02.12.2020

Previous version: 1.0

Date / First version: 02.12.2020

Product: **Ultrafuse® BVOH polyvinyl alcohol filament**

(ID no. 11120948/SDS_GEN_IE/EN)

Date of print 02.11.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Ultrafuse® BVOH polyvinyl alcohol filament

1.2. Relevant identified uses of the substance or mixture and uses advised against

| Recommended use: 3D Printing

1.3. Details of the supplier of the safety data sheet

Company:

BASF 3D Printing Solutions B.V.
Eerste Bokslootweg 17
7821 AT Emmen, Netherlands

Contact address:

BASF Ireland DAC
Asgard House, 19-20 City Quay
Dublin, D02 K744
Ireland

Telephone: +353 21 451-7100

E-mail address: product-safety-uk-and-ireland@basf.com

1.4. Emergency telephone number

For products classified as hazardous in accordance with CLP:

National Poisons Information Centre, Beaumont Hospital, Dublin 9

Emergency medical information: 8am-10pm (seven days)

Tel.: 01 8092566

International emergency number:

Telephone: +49 180 2273-112

BASF 3D Printing Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 21.12.2022

Version: 2.0

Date previous version: 02.12.2020

Previous version: 1.0

Date / First version: 02.12.2020

Product: **Ultrafuse® BVOH polyvinyl alcohol filament**

(ID no. 11120948/SDS_GEN_IE/EN)

Date of print 02.11.2023

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to Regulation (EC) No 1272/2008 [CLP]

No need for classification according to GHS criteria for this product.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

The product does not require a hazard warning label in accordance with GHS criteria.

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

The product may cause burns, if handled in the melted state.

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

polymer blend based on:alcohols

Regulatory relevant ingredients

No particular hazards known.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing.

BASF 3D Printing Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 21.12.2022

Version: 2.0

Date previous version: 02.12.2020

Previous version: 1.0

Date / First version: 02.12.2020

Product: **Ultrafuse® BVOH polyvinyl alcohol filament**

(ID no. 11120948/SDS_GEN_IE/EN)

Date of print 02.11.2023

If inhaled:

Remove the affected individual into fresh air and keep the person calm. If symptoms persist, seek medical advice.

On skin contact:

Wash thoroughly with soap and water. If irritation develops, seek medical attention. Burns caused by molten material require hospital treatment.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open. If irritation develops, seek medical attention.

On ingestion:

Rinse mouth immediately with water. Immediate medical attention required.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

Hazards: No hazard is expected under intended use and appropriate handling.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:
dry powder, foam, carbon dioxide

Unsuitable extinguishing media for safety reasons:
water jet

Additional information:
Water jet can rapidly spread fire.

5.2. Special hazards arising from the substance or mixture

Endangering substances: harmful vapours, carbon oxides

Advice: Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire. Under certain conditions in case of fire other hazardous combustion products may be generated.

5.3. Advice for fire-fighters

Special protective equipment:

BASF 3D Printing Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 21.12.2022

Version: 2.0

Date previous version: 02.12.2020

Previous version: 1.0

Date / First version: 02.12.2020

Product: **Ultrafuse® BVOH polyvinyl alcohol filament**

(ID no. 11120948/SDS_GEN_IE/EN)

Date of print 02.11.2023

Wear a self-contained breathing apparatus.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6: Accidental Release Measures

High risk of slipping due to leakage/spillage of product.

6.1. Personal precautions, protective equipment and emergency procedures

No special precautions necessary.

6.2. Environmental precautions

Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

For small amounts: Sweep/shovel up.

For large amounts: Sweep/shovel up. Pack in tightly closed containers for disposal.

Dispose of contaminated material as waste according to item 13.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Avoid inhalation of dusts/mists/vapours. Ensure adequate ventilation. Provide suitable exhaust ventilation at the drying process and in the area surrounding the melt outlet of processing machines. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Avoid the formation and deposition of dust.

Protection against fire and explosion:

The product is not an oxidizer, not self-combustible and not explosive. Avoid dust formation. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Containers should be stored tightly sealed in a dry place. Do not store in steel or stainless steel containers; polyethylene is the preferred material.

Storage stability:

BASF 3D Printing Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 21.12.2022

Version: 2.0

Date previous version: 02.12.2020

Previous version: 1.0

Date / First version: 02.12.2020

Product: **Ultrafuse® BVOH polyvinyl alcohol filament**

(ID no. 11120948/SDS_GEN_IE/EN)

Date of print 02.11.2023

Avoid extreme heat.
Avoid freezing.

Frost sensitive
The packed product will be damaged by high temperatures.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

No substance specific occupational exposure limits known.

8.2. Exposure controls

Appropriate engineering controls

It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Suitable respiratory protection for higher concentrations or long-term effect: (Particle filter EN 143 P1)

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Wearing of closed work clothing is recommended. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied.

BASF 3D Printing Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 21.12.2022

Version: 2.0

Date previous version: 02.12.2020

Previous version: 1.0

Date / First version: 02.12.2020

Product: **Ultrafuse® BVOH polyvinyl alcohol filament**

(ID no. 11120948/SDS_GEN_IE/EN)

Date of print 02.11.2023

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

| | |
|---|--|
| State of matter: | solid |
| Form: | filament |
| Colour: | white to light yellow |
| Odour: | vinegar-like |
| Odour threshold: | not determined |
| melting range: | 150 - 300 °C |
| Boiling point: | The product is a non-volatile solid. |
| Flammability: | not highly flammable |
| Lower explosion limit: | For solids not relevant for classification and labelling. |
| Upper explosion limit: | For solids not relevant for classification and labelling. |
| Flash point: | > 200 °C (closed cup) |
| Auto-ignition temperature: | 440 °C |
| Thermal decomposition: | No decomposition if stored and handled as prescribed/indicated. Prolonged thermal loading can result in products of degradation being given off. |
| SADT: | Not a substance liable to self-decomposition according to UN transport regulations, class 4.1. |
| pH value: | 5 - 7 |
| Viscosity, dynamic: | not applicable, the product is a solid |
| Solubility in water: | completely soluble |
| Solubility (qualitative) solvent(s): | N, N-dimethylformamide, Dimethyl sulfoxide soluble |
| Partitioning coefficient n-octanol/water (log Kow): | not applicable for mixtures |
| Vapour pressure: | No data available. |
| Relative density: | Study does not need to be conducted. |
| Relative vapour density (air): | The product is a non-volatile solid. |

9.2. Other information

Information with regard to physical hazard classes

Explosives

Explosion hazard: not explosive

BASF 3D Printing Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 21.12.2022

Version: 2.0

Date previous version: 02.12.2020

Previous version: 1.0

Date / First version: 02.12.2020

Product: **Ultrafuse® BVOH polyvinyl alcohol filament**

(ID no. 11120948/SDS_GEN_IE/EN)

Date of print 02.11.2023

Oxidizing properties

Fire promoting properties: not fire-propagating

Self-heating substances and mixtures

Self heating ability: It is not a substance capable of spontaneous heating.

Corrosion to metals

No corrosive effect on metal.

Other safety characteristics

Bulk density: approx. 1,140 kg/m³

SAPT-Temperature:

Product fulfil criteria for polymerizing substances according to transport regulations.

Evaporation rate:

The product is a non-volatile solid.

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

The product is stable if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

Temperature: > 300 °C

Prolonged exposure to elevated temperatures may result in exothermic decomposition accompanied by a pressure build-up in sealed containers. Avoid all sources of ignition: heat, sparks, open flame.

10.5. Incompatible materials

Substances to avoid:
oxidizing agents

10.6. Hazardous decomposition products

Hazardous decomposition products:

BASF 3D Printing Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 21.12.2022

Version: 2.0

Date previous version: 02.12.2020

Previous version: 1.0

Date / First version: 02.12.2020

Product: **Ultrafuse® BVOH polyvinyl alcohol filament**

(ID no. 11120948/SDS_GEN_IE/EN)

Date of print 02.11.2023

Prolonged thermal loading can result in products of degradation being given off., monomers, gases/vapours, oxides, hydrocarbons, cyclic low molecular weight oligomers

SECTION 11: Toxicological Information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation

Assessment of irritating effects:

May cause slight irritation to the eyes. The product has not been tested. The statement has been derived from the properties of the individual components.

Experimental/calculated data:

Serious eye damage/irritation

: May cause slight irritation to the eyes.

Respiratory/Skin sensitization

Assessment of sensitization:

No applicable information available.

Germ cell mutagenicity

Assessment of mutagenicity:

No applicable information available.

Carcinogenicity

Assessment of carcinogenicity:

No applicable information available.

Reproductive toxicity

Assessment of reproduction toxicity:

No applicable information available.

BASF 3D Printing Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 21.12.2022

Version: 2.0

Date previous version: 02.12.2020

Previous version: 1.0

Date / First version: 02.12.2020

Product: **Ultrafuse® BVOH polyvinyl alcohol filament**

(ID no. 11120948/SDS_GEN_IE/EN)

Date of print 02.11.2023

Developmental toxicity

Assessment of teratogenicity:

No applicable information available.

Specific target organ toxicity (single exposure)

No data available.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No applicable information available.

Aspiration hazard

| not applicable

Interactive effects

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

| Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other information

Other relevant toxicity information

The product has not been tested. The statement has been derived from the properties of the individual components.

BASF 3D Printing Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 21.12.2022

Version: 2.0

Date previous version: 02.12.2020

Previous version: 1.0

Date / First version: 02.12.2020

Product: **Ultrafuse® BVOH polyvinyl alcohol filament**

(ID no. 11120948/SDS_GEN_IE/EN)

Date of print 02.11.2023

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H₂O):

Product is not expected to be readily biodegradable.

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Volatility: Study technically not feasible.

Adsorption in soil: Due to the product characteristics the test is impossible.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

The product does not contain substances that are listed in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer.

BASF 3D Printing Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 21.12.2022

Version: 2.0

Date previous version: 02.12.2020

Previous version: 1.0

Date / First version: 02.12.2020

Product: **Ultrafuse® BVOH polyvinyl alcohol filament**

(ID no. 11120948/SDS_GEN_IE/EN)

Date of print 02.11.2023

12.8. Additional information

Adsorbable organically-bound halogen (AOX):

This product contains no organically-bound halogen.

Add. remarks environm. fate & pathway:

Due to the consistency of the product, dispersion into the environment is impossible. Therefore no negative effects on the environment may be anticipated based on the present state of knowledge.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Dispose of in accordance with national, state and local regulations.

Contact specialized companies about recycling.

Contaminated packaging:

Completely emptied packagings can be given for recycling.

SECTION 14: Transport Information

Land transport

ADR

| | |
|------------------------------|--|
| | Not classified as a dangerous good under transport regulations |
| UN number or ID number: | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user | None known |

RID

| | |
|------------------------------|--|
| | Not classified as a dangerous good under transport regulations |
| UN number or ID number: | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user | None known |

Inland waterway transport

BASF 3D Printing Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 21.12.2022

Version: 2.0

Date previous version: 02.12.2020

Previous version: 1.0

Date / First version: 02.12.2020

Product: **Ultrafuse® BVOH polyvinyl alcohol filament**

(ID no. 11120948/SDS_GEN_IE/EN)

Date of print 02.11.2023

ADN

| | |
|-------------------------------|--|
| | Not classified as a dangerous good under transport regulations |
| UN number or ID number: | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user: | None known |

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

| | |
|-------------------------------|--|
| | Not classified as a dangerous good under transport regulations |
| UN number or ID number: | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user: | None known |

Air transport

IATA/ICAO

| | |
|-------------------------------|--|
| | Not classified as a dangerous good under transport regulations |
| UN number or ID number: | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user: | None known |

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

BASF 3D Printing Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 21.12.2022

Version: 2.0

Date previous version: 02.12.2020

Previous version: 1.0

Date / First version: 02.12.2020

Product: **Ultrafuse® BVOH polyvinyl alcohol filament**

(ID no. 11120948/SDS_GEN_IE/EN)

Date of print 02.11.2023

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 75

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):

Listed in above regulation: no

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

15.2. Chemical Safety Assessment

Chemical Safety Assessment not required

SECTION 16: Other Information

Assessment of the hazard classes according to UN GHS criteria (most recent version)

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

BASF 3D Printing Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 21.12.2022

Version: 2.0

Date previous version: 02.12.2020

Previous version: 1.0

Date / First version: 02.12.2020

Product: **Ultrafuse® BVOH polyvinyl alcohol filament**

(ID no. 11120948/SDS_GEN_IE/EN)

Date of print 02.11.2023

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.
ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.